



CorePro LEDspot MV

CorePro LEDspot 5-50W GU10 827 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	GU10 [GU10]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	5-50W
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	36 °
Luminous Flux (Nom)	350 lm
Luminous Flux (Rated) (Nom)	350 lm
Luminous Intensity (Nom)	710 cd
Color Designation	Warm White (WW)
Rated Beam Angle	36°
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	70.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	350 lm
Operating and Electrical	
Input Frequency	50 to 60 Hz

Power (Rated) (Nom)	5 W
Lamp Current (Nom)	25 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	85 °C
Controls and Dimming	
Dimmable	Yes
Approval and Application	
Energy Efficiency Label (EEL)	A+
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	5 kWh
Product Data	
Full product code	871869672137700
Order product name	CorePro LEDspot 5-50W GU10 827 36D DIM
EAN/UPC - Product	8718696721377


Datasheet, 2019, March 1 data subject to change

CorePro LEDspot MV

Order code	929001364102
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001364102

Net Weight (Piece)	0.038 kg
· ,	9


Dimensional drawing




GU10 230V 5-50W 350lm 36D 2700K GU10 D

Product D C CorePro LEDspot 5-50W GU10 827 36D DIM 50 mm 54 mm


Photometric data





Calcular Restaurantes 43 Philips Lighting B.V. Pages 171


Classic LEDspotMV 50W GU10 827 36D




CorePro LEDspotMV 50W GU10 830 36D CLA

CorePro LEDspot MV

Lifetime





CLA LEDspotMV 50W GU10 827 36D ND

CLA LEDspotMV 50W GU10 827 36D ND

