



CorePro LEDspot Reflectors

CorePro LEDspot CoreProLEDspot ND 8-100W R80 E27 827 36D

CorePro LEDspots Reflectors are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with a GU10 or E27 base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots Reflectors deliver significant energy savings and minimize maintenance cost.

Product data

General Information	
Cap-Base	E27 [E27]
RoHS mark	RoHS mark
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	8-100W
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	36°
Luminous Flux (Nom)	670 lm
Luminous Flux (Rated) (Nom)	670 lm
Luminous Intensity (Nom)	1100 cd
Color Designation	Warm White (WW)
Rated Beam Angle	36°
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	83.00 lm/W
Color Consistency	<6

Color Rendering Index (Nom)	80	
LLMF At End Of Nominal Lifetime (Nom) 70 %		
Luminous Flux in 90° Cone (Rated)	670 lm	
Operating and Electrical		
Input Frequency	50 to 60 Hz	
Power (Rated) (Nom)	8 W	
Lamp Current (Nom)	55 mA	
Wattage Equivalent	100 W	
Starting Time (Nom)	0.1 s	
Warm Up Time to 60% Light (Nom)	0.1 s	
Power Factor (Nom)	0.6	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	72 °C	


Datasheet, 2019, March 1 data subject to change

CorePro LEDspot Reflectors

Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Efficiency Label (EEL)	A+
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	8 kWh
Product Data	
Full product code	871869681185600

Order product name	CorePro LEDspot CoreProLEDspot ND 8-100W
	R80 E27 827 36D
EAN/UPC - Product	8718696811856
Order code	929001891602
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001891602
Net Weight (Piece)	0.144 kg


Dimensional drawing




R80 8-100W 670lm 36D 2700K E27 No

Product D C CorePro LEDspot CoreProLEDspot ND 8-100W R80 E27 80 mm 112 mm 827 36D

Photometric data




LEDspot CorePro 8-100W E27 R80 827 36D ND



LEDspot CorePro 1.8-30W E14 R39 827 36D ND

CorePro LEDspot Reflectors


Photometric data




Calculux Preservotrics 4.5 Philips Lighting 8.V. Page: 1/7

LEDspot CorePro 8-100W E27 R80 827 36D ND

Lifetime





LEDspot CorePro 1.8-30W E14 R39 827 36D ND

LEDspot CorePro 1.8-30W E14 R39 827 36D ND



© 2019 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.